

AqBanking - Bug #299

OFX Select A Bank dialog doesn't work

12.11.2023 22:09 - jralls@ceridwen.us

Status:	Feedback	Beginn:	12.11.2023
Priorität:	Normal	Abgabedatum:	
Kategorie:	AqBanking		
Betriebssystem:	Linux, MacOSX	Anwendung:	GnuCash
AqBanking-Version:	6.5.4	Version der Anwendung:	git stable
Beschreibung			
The matching banks list is always blank. It appears that OfxHome_GetData is never called. The following output is obtained from the OFX DirectConnect Setup Wizard via GnuCash. I clicked the Select button to launch the Select a Bank dialog and typed in the Bank Name entry. • 12:45:09 DEBUG <aqofxconnect> started • 12:45:09 WARN <aqofxconnect> /Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/provider.c: 172: Overriding loglevel for AqOFXConnect with "debug" • 12:45:09 MESSG <aqofxconnect> /Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/provider.c: 179: Initializing AqOfxConnect backend • 12:45:09 WARN <aqbanking> /Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/aqbanking/banking_cfg.c: 668: No matching config groups found • 12:45:09 WARN <aqbanking> /Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/aqbanking/banking_cfg.c: 668: No matching config groups found • 12:45:09 WARN <aqbanking> /Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/aqbanking/banking_cfg.c: 668: No matching config groups found • 12:45:09 WARN <aqbanking> /Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/aqbanking/banking_cfg.c: 668: No matching config groups found • 12:45:09 WARN <aqbanking> /Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/aqbanking/banking_cfg.c: 668: No matching config groups found • 12:45:09 WARN <aqbanking> /Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/aqbanking/banking_cfg.c: 668: No matching config groups found • 12:45:09 WARN <aqbanking> /Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/aqbanking/banking_cfg.c: 668: No matching config groups found • 12:45:09 WARN <aqbanking> /Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/aqbanking/banking_cfg.c: 668: No matching config groups found • 12:45:11 WARN <aqofxconnect> /Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/provider.c: 172: Overriding loglevel for AqOFXConnect with "debug" • 12:45:11 MESSG <aqofxconnect> /Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/provider.c: 179: Initializing AqOfxConnect backend • 12:45:11 INFO <aqofxconnect> /Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/provider.c: 236: Deinitializing AqOFXDC backend • 12:45:11 MESSG <aqofxconnect> /Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/provider.c: 245: Setting version 06050400 • 12:45:11 INFO <aqofxconnect> /Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/provider.c: 256: Deinit done • 12:45:11 ERROR <gwenhywfar>			

```

/Users/john/Development/Gnucash-git-10.13-x86_64/src/gwenhywfar-5.10.2/src/base/pathmanager.c: 85: Path
"aqhbcixmldata.dir" already exists
• 12:45:11 ERROR <gwenhywfar> /Users/john/Development/Gnucash-git-10.13-x86_64/src/gwenhywfar-5.10.2/src/gui/dialog.c:
723: Widget [hbcilnitChipcardRadio] not found
• 12:45:16 ERROR <>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/dialogs/dlg_n
ewuser.c: 1358: Activated: wiz_app_combo
• 12:45:29 ERROR <>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/dialogs/dlg_n
ewuser.c: 1358: Activated: wiz_next_button
• 12:45:29 INFO <aqofxconnect>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/dialogs/dlg_n
ewuser.c: 773: Missing bank name
• 12:45:40 ERROR <>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/dialogs/dlg_n
ewuser.c: 1358: Activated: wiz_bank_button
• 12:45:40 ERROR <>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/libofxhome/dl
g_getinst.c: 386: Activated: listBox
• 12:45:55 ERROR <>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/libofxhome/dl
g_getinst.c: 432: Changed nameEdit
• 12:45:55 INFO <aqofxconnect>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/libofxhome/of
xhome.c: 248: here (-57)
• 12:45:55 INFO <aqofxconnect>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/libofxhome/of
xhome.c: 344: here (-57)
• 12:45:55 ERROR <>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/libofxhome/dl
g_getinst.c: 432: Changed nameEdit
• 12:45:55 INFO <aqofxconnect>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/libofxhome/of
xhome.c: 248: here (-57)
• 12:45:55 INFO <aqofxconnect>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/libofxhome/of
xhome.c: 344: here (-57)
• 12:45:55 ERROR <>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/libofxhome/dl
g_getinst.c: 432: Changed nameEdit
• 12:45:55 INFO <aqofxconnect>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/libofxhome/of
xhome.c: 248: here (-57)
• 12:45:55 INFO <aqofxconnect>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/libofxhome/of
xhome.c: 344: here (-57)
• 12:52:36 ERROR <>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/libofxhome/dl
g_getinst.c: 432: Changed nameEdit
• 12:52:36 INFO <aqofxconnect>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/libofxhome/of
xhome.c: 248: here (-57)
• 12:52:36 INFO <aqofxconnect>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/libofxhome/of
xhome.c: 344: here (-57)
• 12:52:36 ERROR <>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/libofxhome/dl
g_getinst.c: 432: Changed nameEdit
• 12:52:36 INFO <aqofxconnect>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/libofxhome/of
xhome.c: 248: here (-57)
• 12:52:36 INFO <aqofxconnect>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/libofxhome/of
xhome.c: 344: here (-57)
• 12:52:36 ERROR <>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/libofxhome/dl
g_getinst.c: 432: Changed nameEdit

```

- 12:52:36 INFO <aqofxconnect>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/libofxhome/ofxhome.c: 248: here (-57)
- 12:52:36 INFO <aqofxconnect>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/libofxhome/ofxhome.c: 344: here (-57)
- 12:52:37 ERROR <>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/libofxhome/dlg_getinst.c: 432: Changed nameEdit
- 12:52:37 INFO <aqofxconnect>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/libofxhome/ofxhome.c: 248: here (-57)
- 12:52:37 INFO <aqofxconnect>
/Users/john/Development/Gnucash-git-10.13-x86_64/src/aqbanking-6.5.4/src/libs/plugins/backends/aqofxconnect/libofxhome/ofxhome.c: 344: here (-57)

Ref: https://bugs.gnucash.org/show_bug.cgi?id=799110

Incidentally, www.ofxhome.com is now https only. There's a redirect from http, dunno if gwen can follow it. I did try
GWEN_XMLNODE *n;

```
/* prepare session */
- sess=GWEN_HttpSession_new("http://www.ofxhome.com/api.php?all=yes", "http", 80);
+ sess=GWEN_HttpSession_new("https://www.ofxhome.com/api.php?all=yes", "https", 443);
rv=OfxHome_SetupHttpSession(ofh, sess);
if (rv<0) {
    DBG_INFO(AQOFXCONNECT_LOGDOMAIN, "here (%d)", rv);
@ -365,10 +365,10 @
    OH_INSTITUTE_DATA *od;

/* prepare session */
- snprintf(urlbuf, sizeof(urlbuf)-1, "http://www.ofxhome.com/api.php?lookup=%d", fid);
+ snprintf(urlbuf, sizeof(urlbuf)-1, "https://www.ofxhome.com/api.php?lookup=%d", fid);
urlbuf[sizeof(urlbuf)-1]=0;

- sess=GWEN_HttpSession_new(urlbuf, "http", 80);
+ sess=GWEN_HttpSession_new(urlbuf, "https", 443);
rv=OfxHome_SetupHttpSession(ofh, sess);
if (rv<0) {
    DBG_INFO(AQOFXCONNECT_LOGDOMAIN, "here (%d)", rv);
```

but since it's not getting called it of course made no difference.

Historie

#1 - 06.01.2024 01:35 - martin

- Status wurde von New zu In Progress geändert

Hmm, it should be called as soon as you type something into the name field... I'll look into it.

#2 - 06.01.2024 01:47 - martin

Just a thought: What happens if you delete the empty cache file "\$HOME/.aqbanking/backends/aqofxconnect/data/ofxhome/institutes.conf" after applying your changes (http->https)? Is it called then?

#3 - 06.01.2024 01:48 - martin

- Status wurde von In Progress zu Feedback geändert